



Schröder ECOBLAST

Aiming device




ENG	INSTALLATION INSTRUCTIONS	ITA	ISTRUZIONI DI INSTALLAZIONE	NLD	INSTALLATIE INSTRUCTIES	DAN	INSTALLATIONSVEJLEDNING	HUN	TELEPÍTÉSI ÚTMUTATÓ
DEU	INSTALLATIONSANLEITUNG	POL	INSTRUKCJE MONTAŻU	RUS	Инструкции по установке	RON	INSTRUCȚIUNI DE INSTALARE	CHI	安装说明
FRA	INSTRUCTIONS DE MONTAGE	SPA	INSTRUCCIONES DE INSTALACIÓN	POR	INSTRUÇÕES DE INSTALAÇÃO	SWE	INSTALLATIONSANVISNING	UKR	Інструкції з монтажу
SRP	UPUTSTVA ZA INSTALACIJU	AR	تعليمات التركيب						

Required tools




A




Camera

B





Scope

C



Laser


1x
02-49-990
for PC and Glass protector




in case of PC protector please remove 4pcs washer before installation



1x
02-60-677
(2pcs/kit)




1x
00-27-538




2x
00-30-368



1x
00-27-536




1x
00-27-916



2x
00-05-592



1x
02-59-812



2x
00-30-368




Caution!




Class 3R laser product: avoid direct eye exposure.
IEC 60825-1:2007-03


Laser light is 650 nm, 2,9 mW, 0°beam divergence.




A

Camera


**1****2**





3




4







5




B

Scope


**1****2**




3




4



5










CLOSE




C

Laser


**1****2****3****4****5**




3



4



5



CLOSE

